

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	"451"/\$.ccls. and tolerance and limits and thickness and metrology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:45
L2	4	"451"/\$.ccls. and tolerance and limit and thickness and metrology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 10:52
L3	0	"451"/\$.ccls. and tolerance and limits and thickness and metrology and cassette	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:26
L4	0	"451"/\$.ccls. and tolerance and limits and thickness and metrology and cassette	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:27
L5	0	"451"/\$.ccls. and tolerance and inner and outer and thickness and metrology and cassette	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:27
L6	9	"451"/\$.ccls. and tolerance and inner and outer and thickness and polishing and cassette	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:27
L7	2	"451"/\$.ccls. and tolerance and limits and thickness and metrology and exceed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:52
L8	2	"451"/\$.ccls. and tolerance and limits and thickness and metrology and exceed and first and second	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 12:09
L9	0	"451"/\$.ccls. and tolerance and limits and thickness and metrology and exceed and first and second and gating	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 12:11
L10	0	"451"/\$.ccls. and tolerance and limits and thickness and metrology and exceed and first and second and warning adj message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 12:12

L11	0	"451"/\$.ccls. and tolerance and limits and thickness and metrology and exceed and first and second and warning	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 12:12
L12	0	"451"/\$.ccls. and tolerance and limits and thickness and metrology and exceed and first and second and warn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 12:12
L13	0	"451"/\$.ccls. and tolerance and limits and thickness and metrology and exceed and first and second and message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 12:14
L14	2	"451"/\$.ccls. and tolerance and limits and thickness and metrology and exceed and first and second and signals	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 12:19
L15	2	"451"/\$.ccls. and warning adj signals	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 12:20
S1	7	"451"/\$.ccls. and tolerance and inner and outer and thickness and metrology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:27
S2	258	"451"/\$.ccls. and tolerance and inner and outer and thickness	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/23 13:30
S3	150	"451"/\$.ccls. and tolerance and inner and outer and thickness and polishing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:27
S4	11	"451"/\$.ccls. and tolerance and inner and outer and thickness and polishing and program	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/23 13:45
S5	39	"451"/\$.ccls. and measure and thickness and metrology and in and line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/23 13:48

S6	64	"451"/\$.ccls. and measure and thickness and metrology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/23 13:58
S7	0	"451"/\$.ccls. and gating adj substrate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/23 13:59
S8	40	"451"/\$.ccls. and gating	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/23 13:59